

CLASSI	LUN					MAR					MER					GIO					VEN					SAB				
	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50
1AB	INF 209	DIR 209	ITA 209	LFIS LF19	MAT 209	TRG 209	REL 209	DIR 209	EDF PAL	ITA 209	FIS 209	MAT 209	LTRG LT26	ING 209	STO 209	MAT 209	CHI 209	ING 209	ITA 209	SCI 209	LCHI LC21	SCI 209	GEO 209	STO 209	LINF LI07					
1AE	ING 304	MAT 304	ITA 304	EDF PAL	FIS 304	REL 304	LCHI 304	ING 304	ITA 304	MAT 304	STO 304	DIR 304	TRG 304	SCI 304	LINF LI07	MAT 304	ITA 304	DIR 304	LFIS LF19	INF 304	LTRG LT26	GEO 304	STO 304	CHI 304	SCI 304					
1AG	REL 601	EDF PAL	LFIS LF19	LINF LI07	MAT 601	LTRG LT26	DIR 601	ING 601	MAT 601	ITA 601	STO 601	GEO 601	SCI 601	CHI 601	TRG 601	FIS 601	SCI 601	STO 601	EDF PAL	ING 601	ITA 601	ITA 601	DIR 601	LCHI 601	INF 601					
1AI	MAT 604	LTRG LT26	EDF PAL	ITA 604	SCI 604	FIS 604	ING 604	ITA 604	MAT 604	INF 604	ING 604	STO 604	MAT 604	CHI 604	DIR 604	ITA 604	LINF LI07	SCI 604	REL 604	TRG 604	DIR 604	LFIS LF19	LCHI 604	GEO 604	STO 604					
1BB	LTRG LT26	GEO 010	EDF PAL	ITA 010	REL 010	ING 010	CHI 010	STO 010	MAT 010	LINF LI07	INF 010	TRG 010	ITA 010	LFIS LF19	SCI 010	MAT 010	DIR 010	ING 010	SCI 010	ITA 010	DIR 010	LCHI 010	FIS 010	EDF PAL	STO 010					
1BE	SCI 406	EDF PAL	GEO 406	ITA 406	REL 406	FIS 406	LTRG LT26	STO 406	INF 406	DIR 406	ING 406	MAT 406	ITA 406	LINF LI07	CHI 406	ITA 406	DIR 406	LCHI 406	MAT 406	ING 406	TRG 406	SCI 406	LFIS LF19	STO 406	MAT 406					
1BG	TRG 602	LCHI LC29	REL 602	EDF PAL	ITA 602	GEO 602	MAT 602	ING 602	LFIS LF19	ITA 602	MAT 602	SCI 602	STO 602	LTRG LT26	INF 602	ITA 602	ING 602	EDF PAL	LINF LI07	STO 602	FIS 602	DIR 602	ITA 602	CHI 602	SCI 602					
1BI	STO 605	ING 605	LCHI LC29	MAT 605	INF 605	TRG 605	EDF PAL	ITA 605	SCI 605	LFIS LF19	REL 605	LTRG LT26	DIR 605	STO 605	SCI 605	ITA 605	DIR 605	LINF LI07	GEO 605	FIS 605	EDF PAL	ITA 605	MAT 605	ING 605	CHI 605					
1CE	STO 307	TRG 307	EDF PAL	MAT 307	ITA 307	FIS 307	ITA 307	GEO 307	SCI 307	INF 307	LCHI LC29	MAT 307	ITA 307	ING 307	DIR 307	LFIS LF19	ITA 307	DIR 307	CHI 307	SCI 307	MAT 307	LTRG LT26	STO 307	LINF LI07	ING 307					
1CG	FIS 603	REL 603	LINF LI07	ITA 603	DIR 603	CHI 603	MAT 603	ITA 603	DIR 603	TRG 603	SCI 603	SCI 603	GEO 603	STO 603	LTRG LT26	MAT 603	ITA 603	LFIS LF19	ING 603	LCHI LC29	STO 603	ING 603	MAT 603	INF 603	EDF PAL					
1CI	ITA 109	ING 109	DIR 109	GEO 109	EDF PAL	MAT 109	SCI 109	ITA 109	ING 109	STO 109	CHI 109	FIS 109	LINF LI16	REL 109	ITA 109	LCHI LC29	LTRG LT26	INF 109	EDF PAL	ITA 109	SCI 109	TRG 109	STO 109	LFIS LF19	MAT 109					
1DI	SCI 403	STO 403	ING 403	REL 403	LCHI LC29	ITA 403	LFIS LF19	INF 403	DIR 403	ING 403	TRG 403	CHI 403	DIR 403	MAT 403	ITA 403	MAT 403	SCI 403	LTRG LT26	ITA 403	FIS 403	GEO 403	LINF LI07	STO 403	ING 403	EDF PAL					
1EI	FIS 203	ITA 203	INF 203	LCHI LC29	REL 203	LINF LI23	GEO 203	STO 203	ING 203	DIR 203	MAT 203	STO 203	CHI 203	EDF PAL	TRG 203	LTRG LT26	SCI 203	ITA 203	DIR 203	LFIS LF19	ITA 203	MAT 203	EDF PAL	SCI 203	ING 203					
1FI	MAT 201	LINF LI24	LTRG LT26	CHI 201	STO 201	FIS 201	STO 201	EDF PAL	INF 201	MAT 201	LFIS LF19	DIR 201	LCHI LC29	ITA 201	REL 201	ING 201	EDF PAL	ITA 201	SCI 201	GEO 201	SCI 201	TRG 201	DIR 201	ING 201	ITA 201					
1GI	LINF LI07	ING 008	ITA 008	SCI 008	GEO 008	REL 008	STO 008	EDF PAL	INF 008	CHI 008	TRG 008	MAT 008	LFIS LF19	ITA 008	DIR 008	MAT 008	DIR 008	SCI 008	STO 008	ING 008	ITA 008	LCHI LC29	LTRG LT26	MAT 008	FIS 008					
1HI	EDF PAL	LINF LI07	SCI 205	LTRG LT26	ITA 205	MAT 205	FIS 205	LCHI LC29	ITA 205	ING 205	GEO 205	MAT 205	REL 205	DIR 205	STO 205	INF 205	LFIS LF19	MAT 205	STO 205	DIR 205	TRG 205	ING 205	ITA 205	SCI 205	CHI 205					
1II	MAT 606	EDF PAL	STO 606	SCI 606	LTRG LT26	STO 606	DIR 606	LFIS LF19	GEO 606	LCHI LC29	DIR 606	MAT 606	FIS 606	ITA 606	ING 606	SCI 606	ING 606	ITA 606	CHI 606	INF 606	TRG 606	ITA 606	LINF LI07	REL 606	MAT 606					
2AB	STB 208	ING 208	REL 208	MAT 208	STO 208	DIR 208	EDF PAL	STB 208	STO 208	MAT 208	LCHI LC21	TRG 208	MAT 208	SCI 208	ITA 208	FIS 208	ITA 208	CHI 208	ING 208	DIR 208	LFIS LF20	LTRG LT27	SCI 208	ITA 208	EDF PAL					
2AE	MAT 306	STE 306	EDF PAL	REL 306	ITA 306	CHI 306	LFIS LF20	DIR 306	ING 306	STO 306	TRG 306	ITA 306	SCI 306	STE 306	FIS 306	ING 306	LCHI LC29	ITA 306	MAT 306	EDF PAL	STO 306	DIR 306	LTRG LT27	SCI 306	MAT 306					
2AG	LFIS LF20	LTRG LT27	DIR 607	ITA 607	ING 607	TRG 607	ITA 607	REL 607	STG 607	MAT 607	EDF PAL	MAT 607	ITA 607	SCI 607	FIS 607	SCI 607	DIR 607	STO 607	MAT 607	CHI 607	STO 607	STG 607	EDF PAL	ING 607	LCHI LC29					
2AI	DIR 611	SCI 611	ITA 611	STI 611	ING 611	CHI 611	ITA 611	MAT 611	ING 611	STI 611	ITA 611	ING 611	TRG 611	LCHI LC29	FIS 611	REL 611	STO 611	LFIS LF20	MAT 611	DIR 611	LTRG LT27	EDF PAL	SCI 611	STO 611	MAT 611					
2BB	DIR 610	EDF PAL	MAT 610	ING 610	ITA 610	LCHI LC21	TRG 610	SCI 610	ITA 610	MAT 610	LTRG LT27	REL 610	STB 610	STO 610	ING 610	FIS 610	MAT 610	ITA 610	EDF PAL	CHI 610	STB 610	DIR 610	STO 610	LFIS LF20	SCI 610					
2BE	EDF PAL	MAT 408	ITA 408	REL 408	CHI 408	ITA 408	EDF PAL	LTRG LT27	LCHI LC29	SCI 408	TRG 408	STE 408	FIS 408	DIR 408	ITA 408	DIR 408	STO 408	MAT 408	ING 408	STE 408	SCI 408	LFIS LF20	STO 408	MAT 408	ING 408					
2BG	EDF PAL	REL 608	ITA 608	CHI 608	DIR 608	SCI 608	EDF PAL	MAT 608	STO 608	LFIS LF20	STG 608	FIS 608	LTRG LT27	ING 608	ITA 608	TRG 608	MAT 608	STO 608	LCHI LC29	STG 608	MAT 608	ITA 608	SCI 608	DIR 608	ING 608					
2BI	CHI 609	STO 609	DIR 609	FIS 609	MAT 609	EDF PAL	LCHI LC29	LFIS LF20	ITA 609	ING 609	MAT 609	REL 609	ITA 609	LTRG LT27	STI 609	TRG 609	ITA 609	ING 609	MAT 609	SCI 609	STI 609	DIR 609	STO 609	SCI 609	EDF PAL					

CLASSI	LUN					MAR					MER					GIO					VEN					SAB				
	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50
2CE	LCHI LC29	SCI 308	LTRG LT27	ITA 308	MAT 308	EDF PAL	DIR 308	ITA 308	STE 308	ING 308	REL 308	EDF PAL	MAT 308	STO 308	LFIS LF20	CHI 308		STO 308	SCI 308	TRG 308	DIR 308	MAT 308	STE 308	ING 308	ITA 308					
2CI	TRG 302	ITA 302	SCI 302	ING 302	FIS 302	ITA 302	LTRG LT27	ING 302	STI 302	SCI 302	EDF PAL	CHI 302	STO 302	LFIS LF20	MAT 302	MAT 302	STI 302	ITA 302	DIR 302	EDF PAL	LCHI LC29	STO 302	REL 302	MAT 302	DIR 302					
2DE	MAT 111	LFIS LF20	SCI 111	ITA 111	EDF PAL	DIR 111	ING 111	ITA 111	LTRG LT27	STE 111	REL 111	EDF PAL	STO 111	FIS 111	SCI 111	TRG 111	MAT 111	LCHI LC29	STE 111	STO 111	ING 111	ITA 111	DIR 111	MAT 111	CHI 111					
2DI	TRG 404	EDF PAL	SCI 404	STI 404	ING 404	LTRG LT27	CHI 404	ITA 404	MAT 404	SCI 404	STO 404	LFIS LF20	MAT 404	STO 404	EDF PAL	DIR 404	MAT 404	ING 404	FIS 404	ITA 404	STI 404	ITA 404	DIR 404	LCHI LC29	REL 404					
2EI	ING 204	MAT 204	STO 204	STI 204	SCI 204	LCHI LC29	STI 204	ING 204	SCI 204	STO 204	CHI 204	TRG 204	ITA 204	FIS 204	EDF PAL	ITA 204	REL 204	DIR 204	LTRG LT27	MAT 204	MAT 204	ITA 204	LFIS LF20	EDF PAL	DIR 204					
2FI	STO 202	DIR 202	STI 202	LTRG LT27	FIS 202	EDF PAL	REL 202	MAT 202	STO 202	ING 202	ITA 202	LCHI LC29	ING 202	SCI 202	MAT 202	STI 202	ITA 202	DIR 202	MAT 202	CHI 202	TRG 202	SCI 202	ITA 202	EDF PAL	LFIS LF20					
2GI	TRG 009	STI 009	ING 009	ITA 009	CHI 009	EDF PAL	DIR 009	ITA 009	LFIS LF20	STI 009	MAT 009	EDF PAL	DIR 009	FIS 009	STO 009	STO 009	MAT 009	REL 009	ING 009	SCI 009	ITA 009	SCI 009	LCHI LC29	LTRG LT27	MAT 009					
2HI	STI 206	SCI 206	STO 206	DIR 206	MAT 206	TRG 206	EDF PAL	DIR 206	ING 206	STO 206	MAT 206	LTRG LT27	ITA 206	SCI 206	LCHI LC29	EDF PAL	MAT 206	CHI 206	LFIS LF20	ITA 206	FIS 206	REL 206	ING 206	ITA 206	STI 206					
3AA	SIA 116	ITA 116	LTPA LE12	ING 116	ELT 116	LSIA LE09	LTPA LE12	MAT 116	EDF PAL	ELT 116	STO 116	REL 116	TPA 116	ELT 116	MAT 116	LTPA LE12	ING 116	LELT LE11	ITA 116	SIA 116	MAT 116	EDF PAL	ITA 116	LELT LE11	SIA 116					
3ABA	BIO 006	REL 113	MAT 113	STO 113	FIA 612	LBIO LB22	LCHO LC21	CHA 110	ING 110	ITA 010	CHO 503	BIO 503	STO 008	ITA 010	LCHA LC21	LCHA LC21	MAT 612	EDF PAL	CHO 113	BIO 113	ING 107	EDF PAL	ITA 008	MAT 009	LBIO LB22					
3ABS	IGA 118	ITA 118	ING 118	BIO 118	MAT 118	IGA 118	STO 118	MAT 118	LCHA LC21	LBIO LB22	ITA 118	IGA 118	BIO 118	EDF PAL	CHO 118	CHA 118	LIGA LB22	STO 118	ING 118	EDF PAL	MAT 118	IGA 118	ITA 118	REL 118	LCHO LC21					
3AE	LTPE LE12	ITA 303	LELT LE11	SIE 303	EDF PAL	STO 303	ING 303	LSIE LE09	MAT 303	ELT 303	TPE 303	SIE 303	EDF PAL	LELT LE11	MAT 303	ITA 303	MAT 303	ELT 303	LSIE LE09	REL 303	ING 303	LTPE LE12	ELT 303	ITA 303	SIE 303					
3AG	ITA 110	REL 110	EDF PAL	LPRM LG18	TCM 110	PRM 110	ITA 110	LTCM LG18	LTPP LG18	TDC 110	ING 110	STO 110	ITA 110	MAT 110	LTCM LG18	MAT 110	TCM 110	STO 110	TPP 110	ING 110	PRM 110	LTCM LG18	TPP 110	EDF PAL	MAT 110					
3AI	EDF PAL	TEL 115	ITA 115	INF 115	MAT 115	LTEL LX04	INF 115	STO 115	LSIS LI15	REL 115	ING 115	MAT 115	LINF LI15	ITA 115	TPI 115	INF 115	SIS 115	LTPI LI15	STO 115	EDF PAL	LINF LI15	ING 115	ITA 115	MAT 115	SIS 115					
3BE	ING 113	LELT LE11	LSIE LE09	LTPE LE12	STO 113	ELT 113	SIE 113	TPE 113	MAT 113	REL 113	MAT 113	LELT LE11	SIE 113	ITA 113	EDF PAL	ITA 113	MAT 113	ELT 113	LTPE LE12	LSIE LE09	ELT 113	ITA 113	SIE 113	EDF PAL	ING 113					
3BG	TDC 207	ITA 207	LTCM LG18	TPP 207	PRM 207	LTCM LG10	ING 207	ITA 207	MAT 207	REL 207	TPP 207	MAT 207	TCM 207	ITA 207	ING 207	MAT 207	EDF PAL	PRM 207	STO 207	LTCM LG17	EDF PAL	TCM 207	STO 207	LPRM LG18	LTPP LG18					
3BI	TEL 504	ING 504	ITA 504	INF 504	LSIS LI01	SIS 504	TPI 504	INF 504	STO 504	MAT 504	EDF PAL	LINF LI01	ING 504	ITA 504	LTPI LI01	ITA 504	MAT 504	EDF PAL	INF 504	REL 504	MAT 504	SIS 504	STO 504	LINF LI01	LTEL LX04					
3CG	ITA 503	LPRM LG18	TCM 503	EDF PAL	MAT 503	TCM 503	EDF PAL	TPP 503	STO 503	TDC 503	LTPP LG18	LTCM LG18	STO 503	MAT 503	REL 503	PRM 503	MAT 503	ITA 503	LTCM LG18	ING 503	TPP 503	PRM 503	LTCM LG18	ITA 503	ING 503					
3CI	LSIS LI16	REL 006	LTEL LX04	LINF LI16	ITA 006	TEL 006	ITA 006	SIS 006	INF 006	EDF PAL	ING 006	EDF PAL	STO 006	MAT 006	LINF LI16	INF 006	MAT 006	ITA 006	TPI 006	ING 006	STO 006	LTPI LI16	MAT 006	INF 006	SIS 006					
3DI	MAT 402	STO 402	SIS 402	INF 402	ITA 402	SIS 402	MAT 402	ING 402	LINF LI04	STO 402	TEL 402	ITA 402	ING 402	TPI 402	MAT 402	LTEL LX04	LSIS LI04	INF 402	ING 402	LINF LI04	REL 402	LTPI LI04	EDF PAL	ITA 402	INF 402					
3EI	TEL 510	SIS 510	EDF PAL	STO 510	INF 510	MAT 510	ITA 510	LTEL LX04	SIS 510	INF 510	ITA 510	MAT 510	REL 510	LINF LI23	TPI 510	EDF PAL	LINF LI23	STO 510	LTPI LI23	ING 510	ING 510	LSIS LI23	ITA 510	MAT 510	INF 510					
3FI	TPI 112	TEL 112	LINF LI24	ITA 112	SIS 112	MAT 112	LTPI LI24	STO 112	SIS 112	INF 112	LTEL LX04	REL 112	ITA 112	MAT 112	INF 112	STO 112	ING 112	LINF LI24	EDF PAL	MAT 112	ING 112	EDF PAL	LSIS LI24	INF 112	ITA 112					
3G-IT1	INF 301	INF 301	LSIS LI02	ITA 301	MAT 301	MAT 301	SIS 301	LTPI LI02	TPI 301	TEL 301	ITA 301	ING 301	LINF LI02	SIS 301	TPI 301	LINF LI02	LINF LI02	LSIS LI02	MAT 301	STO 301	ING 301	LTEL LX04	INF 301	EDF PAL	ITA 301					
3G-IT2	LTPT LX05	INF 201	TEL 201	ITA 301	MAT 301	MAT 301	LTEL LX04	LSIT LI04	TPT 009	LINF LI02	ITA 301	ING 301	TEL 107	LINF LI02	SIT SPOSTA	LSIT LI04	LTEL LX05	LTPT LX05	MAT 301	STO 301	ING 301	SIT 006	TEL 009	EDF PAL	ITA 301					
4A-EA1	ITA 117	MAT 117	TPE 117	SIE 117	LELT LE11	STO 117	EDF PAL	ELT 117	LTPE LE12	MAT 117	ING 117	ITA 117	LTPE LE12	SIE 117	ELT 117	MAT 117	LSIE LE09	TPE 117	LELT LE11	LELT LE11	ELT 117	LSIE LE09	LTPE LE12	ING 117	ITA 117					
4A-EA2	ITA 117	MAT 117	ELT 006	LSIA LE09	LSIA LE09	STO 117	EDF PAL	LTPA LE12	ELT 111	MAT 117	ING 117	ITA 117	SIA 115	TPA 114	LELT LE11	MAT 117	LTPA LE12	LTPA LE12	SIA 409	ELT 409	LSIA LE09	LELT LE11	LELT LE11	ING 117	ITA 117					

CLASSI	LUN					MAR					MER					GIO					VEN					SAB				
	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50
4ABS	STO 607	ING 607	LIGA LB22	MAT 110	CHA 011	EDF PAL	LIGA LB22	STO 800	CHO 800	LCHA LC21	IGA 612	LBIO LB22	EDF PAL	ITA 303	MAT 110	ITA 402	REL 402	IGA 011	BIO 503	ING 203	BIO 208	MAT 208	IGA 503	LCHO LC21	ITA 118					
4AG	ING 107	ITA 107	TCM 107	MAT 107	EDF PAL	ITA 107	LTCM LG18	LTPP LG17	TDC 107	ING 107	PRM 107	REL 107	LTCM LG18	STO 107	MAT 107	LTCM LG18	STO 107	MAT 107	TDC 107	TPP 107	LTCM LG18	EDF PAL	LPRM LG17	ITA 107	TPP 107					
4AI	REL 305	MAT 305	ING 305	STO 305	LTEL LX05	LINF LI15	EDF PAL	SIS 305	ITA 305	TPI 305	MAT 305	LINF LI15	ITA 305	SIS 305	INF 305	TEL 305	LINF LI15	STO 305	LTPI LI15	MAT 305	EDF PAL	INF 305	LSIS LI15	ITA 305	ING 305					
4B-AS1	LCHO LC21	LCHA 503	LCHA 011	BIO 011	ITA 117	EDF PAL	FIA SPOSTA	BIO 612	MAT 118	ING 118	MAT 502	STO 502	LBIO LB22	LBIO LB22	FIA 206	ING 107	ITA 502	BIO 502	LCHA LC21	CHO 007	CHA 007	LCHO LC21	LBIO LB22	ITA 407	MAT 407					
4B-AS2	IGA 512	BIO 512	LCHA LC21	CHO 006	ITA 117	EDF PAL	IGA 107	BIO 107	MAT 118	ING 118	MAT 502	STO 502	LCHO LC21	LCHA LC21	LIGA LB22	ING 107	ITA 502	LIGA LB22	LBIO LB22	CHA 114	LIGA LB22	LBIO LB22	LCHO LC21	ITA 407	MAT 407					
4BE	MAT 007	ING 111	ELT 112	TPE 401	SIE 401	LTPE LE12	LELT LE11	REL 108	ITA 007	MAT 114	LELT LE11	SIE 119	ITA 007	EDF PAL	LTPE LE12	ING 108	STO 117	LSIE LE09	TPE 303	ELT 311	ITA 302	MAT 008	ELT 204	LTPE LE12	EDF PAL					
4BG	MAT 502	TPP 502	STO 502	PRM 502	LTCM LG18	STO 502	TCM 502	ING 502	TDC 502	MAT 502	LTCM LG17	LPRM LG17	ITA 502	REL 502	TDC 502	EDF PAL	LTPP LG17	LTCM LG10	ING 502	ITA 502	TPP 502	MAT 502	LTCM LG25	EDF PAL	ITA 502					
4BI	ING 010	LINF LI01	INF 612	LSIS LI01	ITA 800	LINF LI01	SIS 509	ITA 509	MAT 115	EDF PAL	LTEL LX05	TPI 505	STO 505	REL 401	SIS 311	LTPI LI01	STO 513	MAT 513	EDF PAL	INF 207	ITA 209	MAT 301	ING 508	TEL 508	LINF LI01					
4CG	LTPP LG17	TDC 007	STO 007	TCM 007	ING 007	MAT 007	LTCM LG17	ITA 007	LPRM LG17	TPP 007	ITA 007	EDF PAL	LTCM LG17	TDC 007	MAT 007	PRM 007	ING 007	REL 007	ITA 007	LTCM LG10	LTCM LG17	MAT 007	EDF PAL	TPP 007	STO 007					
4CI	MAT 508	LSIS LI16	LINF LI16	ITA 508	ING 508	SIS 508	ING 508	STO 508	TEL 508	INF 508	SIS 508	ITA 508	MAT 508	INF 508	EDF PAL	TPI 508	EDF PAL	LINF LI16	MAT 508	ITA 508	LTEL LX05	STO 508	LINF LI16	LTPI LI16	REL 508					
4DG	ITA 011	MAT 011	LPRM LG17	LTCM LG17	LTCM LG17	LTCM LG17	PRM 011	STO 011	MAT 011	TPP 011	TDC 011	ITA 011	EDF PAL	ING 011	REL 011	MAT 011	STO 011	LTPP LG17	EDF PAL	TDC 011	TCM 011	LTCM LG17	ITA 011	TPP 011	ING 011					
4DI	ITA 310	LSIS LI04	EDF PAL	ING 310	INF 310	MAT 310	LTEL LX05	INF 310	ITA 310	LTPI LI04	SIS 310	ING 310	STO 310	LINF LI04	REL 310	SIS 310	TEL 310	MAT 310	LINF LI04	ITA 310	STO 310	EDF PAL	TPI 310	LINF LI04	MAT 310					
4EI	MAT 511	TEL 511	LINF LI23	EDF PAL	ITA 409	ITA 409	MAT 612	LINF LI23	LTEL LX05	ING 108	LSIS LI23	LTPI LI23	LINF LI23	STO 108	MAT 006	INF 301	SIS 301	EDF PAL	ING 117	STO 117	SIS 108	ITA 117	REL 117	INF 207	TPI 207					
4FI	ING 108	MAT 108	STO 108	SIS 108	INF 108	REL 108	STO 108	LINF LI24	EDF PAL	LTEL LX05	ITA 108	ING 108	MAT 108	LINF LI24	TEL 108	LTPI LI24	ITA 108	EDF PAL	LINF LI24	SIS 108	LSIS LI24	TPI 108	INF 108	ITA 108	MAT 108					
4GI	LTPI LI03	LTEL LX05	ITA 512	LINF LI24	ING 512	LINF LI24	MAT 512	TEL 512	STO 512	REL 512	LINF LI24	ITA 512	TPI 512	EDF PAL	SIS 512	LSIS LI03	EDF PAL	STO 512	INF 512	MAT 512	INF 512	ING 512	MAT 512	ITA 512	SIS 512					
4HI	TEL 501	LTPI LI02	SIS 501	MAT 501	INF 501	SIS 501	MAT 501	INF 501	ITA 501	ITA 501	STO 501	LTEL LX05	LINF LI03	ING 501	EDF PAL	REL 501	ITA 501	EDF PAL	LINF LI03	TPI 501	ING 501	LINF LI03	STO 501	LSIS LI03	MAT 501					
5AA	ELT 505	LTPA LE12	ITA 505	SIA 505	ING 505	TPA 505	ITA 505	SIA 505	MAT 505	LELT LE11	EDF PAL	LTPA LE12	LSIA LE09	REL 505	ELT 505	ELT 505	LELT LE11	ING 505	SIA 505	ITA 505	LTPA LE12	MAT 505	EDF PAL	STO 505	SIA 505					
5ABS	ING 800	LCHO LC21	ITA 800	LIGA LB22	LBIO LB22	ITA 800	MAT 800	LIGA LB22	LBIO LB22	CHO 800	BIO 800	STO 800	IGA 800	MAT 800	EDF PAL	LIGA LB22	ITA 800	LES 800	EDF PAL	LCHO LC21	IGA 800	ING 800	LES 800	STO 800	REL 800					
5AE	ITA 008	EDF PAL	SIE 508	LELT LE11	TPE 305	EDF PAL	LSIE LE09	STO 408	ELT 408	LTPE LE12	LTPE LE12	ITA 113	LELT LE11	MAT 310	ING 308	SIE 509	ELT 509	MAT 111	REL 204	LTPE LE12	SIE 115	ELT 110	ING 112	TPE 504	ITA 504					
5AG	GPP 114	LTPP LG17	ITA 114	TCM 114	PRM 114	LTCM LG18	PRM 114	STO 114	TPP 114	LGPP LG17	STO 114	EDF PAL	MAT 114	LTCM LG18	REL 114	ITA 114	MAT 114	LTCM LG18	ING 114	LTCM LG18	ING 114	GPP 114	EDF PAL	LPRM LG17	ITA 114					
5AI	SIS 405	LGPI LI15	LINF LI15	MAT 405	ITA 405	STO 405	TPI 405	LINF LI15	EDF PAL	MAT 405	LINF LI15	ING 405	STO 405	LTPI LI15	GPI 405	ING 405	EDF PAL	INF 405	REL 405	LSIS LI15	ITA 405	ITA 405	INF 405	LSIS LI15	TPI 405					
5BE	LELT LE11	SIE 405	EDF PAL	ITA 119	LTPE LE12	ING 116	SIE 116	LELT LE11	REL 511	ITA 511	SIE SPOSTA	ING 501	ELT 501	LTPE LE12	STO 304	EDF PAL	TPE 109	TPE SPOSTA	ELT 108	MAT 513	MAT 513	ELT 011	ITA 107	LSIE LE09	LTPE LE12					
5BG	ITA 409	MAT 409	TPP 409	LTCM LG25	EDF PAL	LGPP LI04	STO 409	LTCM LG10	REL 409	ING 409	PRM 409	LTCM LG25	GPP 409	ING 409	STO 409	LTPP LG25	GPP 409	ITA 409	LTCM LG25	LPRM LG25	TCM 409	EDF PAL	MAT 409	ITA 409	PRM 409					
5BI	INF 506	EDF PAL	LGPI LI01	STO 506	ING 506	ING 506	LINF LI01	EDF PAL	LTPI LI01	ITA 506	LINF LI01	MAT 506	GPI 506	LSIS LI01	STO 506	MAT 506	TPI 506	INF 506	ITA 506	SIS 506	LSIS LI01	ITA 506	LINF LI01	ING 506	TPI 506					
5CG	LTCM LG25	ITA 407	PRM 407	MAT 407	EDF PAL	LTCM LG25	LTPP LG25	PRM 407	ING 407	ITA 407	EDF PAL	STO 407	REL 407	LTCM LG25	GPP 407	TCM 407	GPP 407	ING 407	TPP 407	STO 407	MAT 407	LPRM LG25	ITA 407	LTCM LG25	LGPP LI04					
5CI	GPI 509	MAT 509	ITA 509	EDF PAL	INF 509	STO 509	LSIS LI16	LINF LI16	REL 509	LTPI LI16	ITA 509	SIS 509	INF 509	LGPI LI16	TPI 509	LSIS LI16	LINF LI16	EDF PAL	ITA 509	MAT 509	ING 509	ING 509	STO 509	TPI 509	LINF LI16					

Istituto Tecnico Industriale E. Medi										ORARIO DAL 06 OTT 2025										manca docente										
CLASSI	LUN					MAR					MER					GIO					VEN					SAB				
	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50	7.50 8.50	8.50 9.50	9.50 10.50	10.50 11.50	11.50 12.50
5DG	PRM 612	STO 612	LTPP LG25	EDF PAL	LTCM LG25	ING 612	LGPP LI04	LTCM LG25	STO 612	EDF PAL	LTCM LG25	GPP 612	ITA 612	MAT 612	ING 612	ITA 612	LPRM LG25	LTCM LG25	GPP 612	TPP 612	PRM 612	TCM 612	MAT 612	ITA 612	REL 612					
5DI	LSIS LI04	MAT 309	LINF LI04	STO 309	LGPI LI02	ING 309	SIS 309	MAT 309	TPI 309	INF 309	ITA 309	LSIS LI04	LINF LI04	EDF PAL	INF 309	EDF PAL	ING 309	GPI 309	ITA 309	TPI 309	LTPI LI04	ITA 309	LINF LI04	REL 309	STO 309					
5EI	LSIS LI23	LTPI LI23	ITA 511	LINF LI23	EDF PAL	TPI 511	REL 511	STO 511	LINF LI23	LSIS LI23	ING 511	ITA 511	TPI 511	MAT 511	LINF LI23	SIS 511	EDF PAL	INF 511	ITA 511	GPI 511	STO 511	ING 511	INF 511	LGPI LI23	MAT 511					
5FI	LTPI LI24	ING 311	EDF PAL	INF 311	STO 311	ITA 311	MAT 311	TPI 311	INF 311	LSIS LI24	ING 311	ITA 311	LINF LI24	TPI 311	LSIS LI24	ING 311	SIS 311	ITA 311	GPI 311	LINF LI24	EDF PAL	LGPI LI24	STO 311	MAT 311	LINF LI24					
5GI	STO 513	TPI 513	MAT 513	ING 513	INF 513	GPI 513	LINF LI03	LSIS LI01	REL 513	ITA 513	ING 513	LINF LI03	ITA 513	TPI 513	MAT 513	EDF PAL	LSIS LI01	LINF LI03	ITA 513	LGPI LI02	LTPI LI03	INF 513	STO 513	SIS 513	EDF PAL					
5HI	TPI 401	EDF PAL	STO 401	LGPI LI02	LINF LI03	ING 401	SIS 401	INF 401	EDF PAL	STO 401	LSIS LI02	TPI 401	MAT 401	LINF LI03	ITA 401	MAT 401	LINF LI03	ITA 401	GPI 401	ING 401	ITA 401	INF 401	LTPI LI02	REL 401	LSIS LI02					
5L-IB1	ING 119	LINF LI03	LTPI LI03	LTPI LI03	GPI 119	LSIS LI02	LGPI LI02	LINF LI03	ITA 119	MAT 119	TPI 119	LSIS LI02	INF 119	MAT 119	ITA 119	STO 119	SIS 119	GPI 119	INF 119	EDF PAL	ITA 119	ING 119	LINF LI03	LSIS LI02	TPI 119					
5L-IB2	ING 119	LBIO LB22	CHO 119	LCHA LC21	LCHA LC21	FIA 119	BIO 119	LCHO LC21	ITA 119	MAT 119	LBIO LB22	LCHO LC21	FIA 201	MAT 119	ITA 119	STO 119	LCHA LC21	LCHO LC21	BIO 206	EDF PAL	ITA 119	ING 119	CHA 119	LBIO LB22	FIA 202					